## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

- (original) Method to improve plant growth characteristics relative to corresponding wild-type plants, comprising introduction into a plant of a nucleic acid encoding a CCS52 protein under the control of a medium-strength promoter.
- 2. (original) Method according to claim 1, wherein said growth characteristic comprises increased yield/biomass.
- (original) Method according to claim 2, wherein said increased yield/biomass comprises increased plant size, increased organ size or increased number of organs.
- (original) Method according to claim 3, wherein said increased organ size is selected from increased leaf size, increased seed size or increased stem diameter.
- (original) Method according to claim 3, wherein said increased number of organs
  is selected from increased number of leaves, increased number of branches,
  increased number of flowers or increased number of seeds.

## HORVATH ET AL. U.S. National Phase of PCT/IB2004/000970

- 6. (currently amended) Method according to any of claims 1 to 5 claim 1, wherein said CCS52 protein is a CCS52A protein.
- 7. (currently amended) Method according to any of claims 1 to 6 claim 1, wherein said nucleic acid encoding a CCS52 protein is as represented by SEQ ID NO 1, 3 or 5, or a variant of any of SEQ ID NO 1, 3 or 5 and/or wherein said CCS52 protein is a protein as represented by SEQ ID NO 2, 4 or 6, or a variant of any of SEQ ID NO 2, 4 or 6.
- 8. (currently amended) Method according to any of claims 1 to 7 claim 1, wherein said medium-strength promoter is a medium-strength constitutive promoter.
- 9. (original) Method according to claim 8, wherein said promoter is a ubiquitin promoter or a promoter with a similar expression pattern.
- 10. (original) Genetic construct comprising:
  - (a) a CCS52 nucleic acid or a variant thereof, encoding a CCS52 protein or a variant thereof; operably linked to
  - (b) a medium-strength promoter; and optionally
  - (c) a transcription termination sequence.

## HORVATH ET AL. U.S. National Phase of PCT/IB2004/000970

- 11. (original) Genetic construct according to claim 10, wherein said promoter is a medium-strength constitutive promoter.
- 12. (currently amended) Genetic construct according to claim 10 or 11, wherein said promoter is a ubiquitin promoter or a promoter with a similar expression pattern.
- 13. (currently amended) Method for the production of a transgenic plant having improved growth characteristics relative to corresponding wild-type plants, comprising:
  - a) introducing into a plant cell a genetic construct according to any of claims

    10 to 12 claim 10;
  - b) cultivating said plant cell under conditions promoting plant growth.
- 14. (currently amended) Host cell containing a genetic construct as defined in any of claims 10 to 12 claim 10.
- 15. (currently amended) Plant obtainable by a method according to any of claims 1 to 9 or 13 claim 1, which plant has improved growth characteristics relative to corresponding wild-type plants.

## HORVATH ET AL. U.S. National Phase of PCT/IB2004/000970

- 16. (currently amended) Transgenic plant containing a genetic construct as defined in any of claims 10 to 12 claim 10, which plant has improved growth characteristics relative to corresponding wild-type plants.
- 17. (original) Transgenic plant according to claim 16, wherein said plant is a monocotyledonous plant, preferably a cereal such as rice or maize.
- 18. (original) Transgenic plant according to claim 16, wherein said plant is a dicotyledoneous plant, preferably a dicotyledoneous crop plant or ornnamental, such as azalea.
- 19. (currently amended) Plant part, preferably a harvestable part, such as a seed, or a propagule of a plant as defined in any of claims 15 to 18 claim 15.
- 20. (currently amended) Progeny of a plant as defined in any of claims 15 to 18 claim 15.
- 21. (original) Use of a nucleic acid encoding a CCS52 protein under control of a medium-strength promoter for improving plant growth characteristics.